EUROPEAN JOURNAL OF
MODERN MEDICINE AND PRACTICE
Vol. 4 No. 2 (Feb - 2024) EJMMP ISSN: 2795-921X
http://innovatus.es/index.php/ejmmp

Mechanisms of Acute Laryngitis Development: an Analysis of Current Studies

Khushvakova Nilufar Zhurakulovna
Samarkand state medical University, Doctor of Medical Sciences,
Prof., Head of Department Otorhinolaryngology №1
Samarkand, Uzbekistan
Iskandarova Shokhina Khamitovna
Samarkand State Medical University, department assistant
Otorhinolaryngology No.1 Samarkand, Uzbekistan

Abstract. This scientific review article explores contemporary research on the mechanisms underlying acute laryngitis development. The paper analyzes molecular processes of inflammation in the larynx, identifies novel therapeutic perspectives, and examines the role of genetic, environmental, and lifestyle factors in increasing the risk of the disease. The study delves into neurogenetic mechanisms, evaluates the efficacy of vaccination, diagnostic methods, and various treatment approaches.

Keywords: acute laryngitis, laryngeal inflammation, genetic factors, neurogenetics, vaccination, diagnosis, therapy.

Introduction

Acute laryngitis is an inflammatory disease of the laryngeal mucosa, characterized by a number of clinical manifestations such as dysphonia, cough, pain and irritation in the larynx, sometimes accompanied by fever. The main symptoms of acute laryngitis are caused by an inflammatory reaction of the laryngeal mucosa to various pathogenic factors, including infections, chemical irritants or trauma [1].

Acute laryngitis is often one of the typical manifestations of upper respiratory infections, but it can also occur as a result of prolonged exposure to irritants, including overload of the vocal cords or exposure to allergens. Although acute laryngitis is generally considered a self-limiting disease, in some cases it can cause serious complications, especially in children and people with weakened immune systems [2].

It is important to note that understanding the mechanisms of development of acute laryngitis plays a key role in optimizing the diagnosis, treatment and prevention of this disease.

Acute laryngitis, as a disease, is of significant clinical and social significance in the context of modern healthcare. Distributed widely throughout the world, it contributes to the overall pattern of

morbidity, compromising the quality of life of patients and sometimes requiring significant medical resources to treat and manage its consequences.

The relevance of studying acute laryngitis is emphasized by its high prevalence and impact on various population groups, including children, adults and the elderly. Because many cases of acute laryngitis are associated with infectious agents such as viruses and bacteria, maintaining current knowledge about the mechanisms of this disease becomes an integral component of effective prevention and treatment strategies.

It is important to note that acute laryngitis not only has an impact on physical health, but also has a social and economic impact associated with lost work hours, visits to health care facilities, and use of health care system resources. This aspect emphasizes the relevance and need for a deep understanding of the mechanisms of development of acute laryngitis in order to develop effective and rational approaches to its prevention and treatment.

The purpose of this review is to systematize and analyze modern scientific research on the mechanisms of development of acute laryngitis. The research methodology is based on a systematic analysis of scientific articles, reviews and clinical studies covering the period from recent years.

The share of acute laryngitis is a significant part, estimated at 60-80% of all registered forms of upper respiratory tract diseases. Issues of the epidemiology of acute laryngitis are an integral part of the study of this pathological condition; their understanding plays an important role in the development of effective measures for the prevention and control of the disease [3].

Acute laryngitis is widespread in the world practice of medical epidemiology. Research data indicate that this disease affects all age groups and has a high incidence rate in various regions of the world. Scientific reports from various countries indicate that acute laryngitis represents a significant public health problem [4].

Epidemiological studies indicate the seasonality of the disease, with peak incidence in the cold months of the year. This circumstance may be associated with increased viral activity and an increased risk of transmission of infections in conditions of low temperature and air humidity. Scientific studies have also identified several sociodemographic factors associated with an increased risk of developing acute laryngitis. These include age groups predisposed to the disease, as well as conditions associated with low levels of hygiene, frequent contact with patients and other factors that contribute to the spread of infection [5].

Viral and bacterial agents, particularly respiratory viruses and streptococci, are considered the main causes of acute laryngitis. Epidemiological data emphasize the role of infections as a key element in shaping the epidemiological landscape of this disease. Immunological aspects also play an important role in the epidemiology of acute laryngitis. A weakened immune system, as a consequence of various conditions such as stress, lack of sleep or chronic diseases, can increase an individual's susceptibility to this disease [6].

Acute laryngitis, as a common disease of the upper respiratory tract, demonstrates certain characteristics in the distribution by age and gender, which is of interest for a complete picture of the epidemiology of this condition.

Epidemiological evidence suggests that acute laryngitis can affect all age groups, but there is a higher incidence in younger children. Children of preschool and primary school age are often at

increased risk of developing acute laryngitis, probably due to an immature immune system and close contacts in collective settings [7].

Issues of gender predisposition to acute laryngitis also attract the attention of researchers. In some cases, there is a slight advantage in the development of the disease in men, while in other studies there is no clear gender dependence. This suggests that risk factors, such as environmental exposures, infectious load and genetic characteristics, may have a more significant influence on the development of acute laryngitis than the patient's gender [8;3].

Children, as a special age group, are characterized by an incompletely formed immune system, which makes them more vulnerable to the effects of viral agents, the main causative factors of acute laryngitis. Immunological characteristics in children may cause a higher incidence rate in this age category [9].

During adolescence, hormonal changes may occur, which may accompany changes in immune function. These factors may also influence the distribution of the disease among adolescents.

Studying the age and sex characteristics of acute laryngitis is an important aspect of epidemiological research, as it allows for more accurate identification of population subgroups at increased risk and the development of personalized prevention and treatment strategies for effective disease control [10].

Acute laryngitis, as an inflammatory disease of the larynx, caused by various factors, includes a complex of viral, bacterial, allergic and other effects that represent significant risk factors. Understanding these factors is not only important for effective prevention, but also for the development of diagnostic and treatment methods.

Viruses such as respiratory syncytial viruses (RSV), adenoviruses, rhinoviruses, and influenza viruses are the leading causes of acute laryngitis. Their high contagiousness and ability to affect the respiratory tract make them essential epidemiological components of this disease.

Some cases of acute laryngitis may be caused by bacterial infections, especially streptococcal infections. Streptococcal infection can cause severe inflammatory processes in the larynx, making bacterial agents significant risk factors, especially in susceptible populations [11].

The presence of an allergic reaction may increase the risk of developing acute laryngitis. Exposure to allergens, such as pollen, house dust, and smoke, can cause irritation of the laryngeal mucosa and contribute to its inflammation [12].

Smoking and drinking alcohol may be additional risk factors for the development of acute laryngitis. Exposure to tobacco smoke and alcoholic beverages can lead to irritation of the mucous membrane and a decrease in its protective functions [13;14].

People who work in environments with high air pollution, high levels of chemicals, or exposure to other occupational agents may be at increased risk of acute laryngitis [15].

Direct contacts with patients with acute respiratory infections, especially in conditions of close contact in a group (for example, in schools, kindergartens), can significantly increase the risk of infection and development of acute laryngitis [16].

A comprehensive study of risk factors for acute laryngitis, including the influence of viral and bacterial agents, allergens, and other factors, plays an important role in the formation of strategies for the prevention, diagnosis and treatment of this disease. A multi-risk factor approach promotes more effective control and management of acute laryngitis in the community.

Acute laryngitis is an inflammatory disease that affects the mucous membrane of the larynx. The molecular mechanisms of inflammation in the pathogenesis of acute laryngitis are associated with the reaction of the mucous membrane to the effects of viruses and bacteria.

The lining of the larynx contains cells that play a role in the immune system. When viruses or bacteria enter tissue, they can be recognized by immune system cells such as macrophages [17]. Once pathogens are recognized, the immune response is activated. This involves the release of various signaling molecules, such as cytokines, which stimulate inflammatory processes [18]. Cytokines cause blood vessels to dilate and attract leukocytes (white blood cells) to the site of infection. Leukocytes play a role in fighting infection by phagocytosing pathogens and participating in the destruction of infected cells [19]. During inflammation, various mediators are activated, such as prostaglandins and leukotrienes, which increase inflammatory processes, causing redness, swelling and pain [20]. After fighting the infection, the recovery phase begins, which involves repairing damaged tissue. This process may be accompanied by the formation of scars and restoration of normal tissue structure [21].

These molecular mechanisms of inflammation are important for controlling infection and repairing damaged tissue in acute laryngitis. However, if the inflammatory response is excessive or unbalanced, additional symptoms and complications may occur.

Immunological aspects of the development of inflammation in the pathogenesis of acute laryngitis play a key role in protecting the body from viruses and bacteria [22].

Innate immunity represents the primary line of defense against infections. When viruses or bacteria enter the throat, innate mechanisms such as phagocytes and natural killers are activated to neutralize and destroy the pathogens [23]. Adaptive immunity includes more specific mechanisms directed against specific pathogens. Lymphocytes such as T and B cells play an important role in adaptive immunity. They can recognize and attack infected cells and produce antibodies to neutralize viruses and bacteria [24]. Cytokines and chemokines are key signaling molecules in the body that play an important role in regulating immune and inflammatory processes. These molecules are produced by various cells, such as immune cells and mucosal epithelial cells, and function to coordinate the response to infection. When the body is exposed to pathogens such as bacteria or viruses, cells involved in the immune response begin to produce cytokines. These molecules act as messengers, passing information between cells and regulating their activity. One of the main functional aspects of cytokines is the recruitment of other cells of the immune system to the site of infection.

Chemokines, a subclass of cytokines, specialize in attracting cells to specific sites in the body. They act as “guiding signals,” directing immune cells to the site of inflammation. This process is called chemotaxis and is an important component of an effective immune response. Cytokines and chemokines are key not only in protecting the body from infections, but also in regulating inflammatory processes. Disturbances in their balance can lead to various pathologies such as autoimmune diseases or chronic inflammatory conditions [25].

When interacting with pathogens, immune complexes are formed, including antibodies. These complexes help destroy pathogens and enhance the immune response. The body also has mechanisms to regulate the intensity of inflammation to avoid unnecessary tissue destruction. This includes anti-inflammatory molecules and feedback mechanisms[26]. The immunological aspects of inflammation in acute laryngitis are closely related to the body's overall immune response to pathogens. Understanding these aspects allows us to develop effective methods for treating and preventing this disease.

Cytokines and inflammatory mediators play a key role in the molecular mechanisms of inflammation in acute laryngitis. These signaling molecules perform a variety of functions, including recruiting immune cells to the site of infection, activating inflammatory processes, and regulating and coordinating the immune response.

Interleukins are a group of cytokines that regulate interactions between various cells of the immune system. For example, IL-1 and IL-6 can be released in response to infection, stimulating inflammatory processes and activating immune cells [27]. TNF-α is an inflammatory mediator that activates inflammatory responses and attracts leukocytes to the site of infection. It can also promote apoptosis (programmed cell death) of infected cells [28]. Chemokines are a subtype of cytokines that attract white blood cells to the site of inflammation. They play an important role in guiding and retaining immune cells to the affected area. Examples include IL -8 [29]. Prostaglandins and leukotrienes are involved in the regulation of inflammatory processes, including dilation of blood vessels and increased permeability of the vascular wall. They are often released in response to injury or infection [20]. Interferons are involved in protecting cells from viral infection and have immunomodulatory properties. They can also regulate inflammatory responses [30].

These cytokines and inflammatory mediators interact with each other, creating a complex network of regulation and coordination of the immune response in acute laryngitis. Understanding these mechanisms helps develop treatment strategies aimed at managing inflammation and promoting recovery.

To effectively diagnose acute laryngitis, a variety of methods are used, including both laboratory and instrumental studies. Laboratory methods include a complete blood count, which can detect signs of inflammation, such as an increased number of white blood cells, as well as a bacteriological examination of a throat smear to accurately identify the causative agent of the infection.

Instrumental techniques cover a wide range of techniques, including laryngoscopy for visual inspection of the throat and vocal cords, fibrolaryngoscopy for detailed examination of difficult-to-reach areas, electron diffraction to measure the electrical activity of the muscles of the larynx, and radiography or CT of the larynx to evaluate surrounding structures and histological examination for detailed tissue analysis. which is necessary in rare cases [31;32].

These techniques provide a more complete understanding of the larynx, helping physicians accurately diagnose acute laryngitis and develop personalized treatment strategies for patients. Diagnosis of acute laryngitis is usually based on the combined use of clinical examination, laboratory and instrumental methods.

Acute laryngitis in children may occur differently than in adults. It is often caused by viral infections such as parainfluenza, RSV or influenza. Children may experience spasms of the larynx, which leads to difficulty breathing, characterized by wheezing and shortness of breath. In addition, children tend to have more severe respiratory symptoms, especially when inhaling, and are more susceptible to upper respiratory tract infections [7].

In adults, acute laryngitis can be caused by allergies, infections, or irritants such as tobacco smoke. It is important to note that acute laryngitis must be evaluated by a medical professional to determine the underlying cause and appropriate treatment. Voice changes, hoarseness and loss of voice are most common in adults. Adults may also experience larynx irritation from external factors such as

smoking or air pollution. Adults are less likely to experience laryngeal spasms, which reduces the likelihood of breathing difficulties [33].

It is important to note that symptoms may vary depending on the person's age and the cause of the disease. Despite the similarities of acute laryngitis between children and adults, there are significant differences associated with age and causative factors.

Modern research in the field of acute laryngitis is aimed at a comprehensive identification of viral and bacterial agents responsible for the occurrence of this disease. In light of this, emphasis is placed on understanding the mechanisms of action of these agents on the laryngeal mucosa and a detailed study of the immune system response to infection in the larynx, as well as the processes accompanying inflammation [34].

The research examines the key role of cytokines and other mediators in the development of inflammation. Genetic aspects are also becoming a focus, exploring factors predisposing to acute laryngitis and the influence of genetic factors on susceptibility to this disease.

In parallel, studies are being conducted focusing on the effects of environmental conditions, including air pollution, smoking, and allergens, on the development of acute laryngitis. Finally, research evaluates the effectiveness of various treatments such as antivirals, antibiotics, antihistamines and anti-inflammatory drugs. All these efforts are aimed at developing more effective strategies for the diagnosis, treatment and prevention of acute laryngitis. Ultimately, the goal of these studies is to expand our knowledge of this disease and develop more effective approaches to its management [35,36].

Significant progress has been made in identifying promising areas and potential innovations in the treatment of acute laryngitis. In particular, targeted drugs are currently being developed to treat viruses and bacteria, representing a significant step towards increasing treatment efficacy and reducing the risk of resistance. At the same time, research is being conducted on immunomodulators and biological drugs aimed at enhancing the body’s immune response and relieving inflammation [37;38].

Gene editing technologies are being explored in genetic research to correct genetic factors associated with susceptibility to acute laryngitis. This innovative approach promises to prevent the onset of the disease, especially in people at risk. Nanotechnology is also contributing to the development of medicine aimed at improving the delivery of drugs to the larynx. Thanks to this, drugs become more effective and side effects are minimized [39;40].

Taken together, these advances demonstrate a concerted effort to improve the effectiveness and safety of acute laryngitis treatment, promising a more comprehensive and sophisticated approach to the treatment of this common respiratory disease.

In the context of acute laryngitis, various potential areas of research need to be explored. One of the most important directions is the study of the molecular mechanisms of inflammation in the larynx in order to identify new therapeutic targets. At the same time, understanding the composition and influence of the laryngeal microbiome represents another important aspect for research. A comprehensive analysis of genetic, environmental and lifestyle factors is necessary to identify elements that contribute to an increased risk of developing acute laryngitis.

It also examines the effectiveness of vaccination as a preventative measure. Chronic stress and psychosocial factors are also being carefully studied to fully understand their impact on the disease [41;2].

Further research in these areas could significantly expand our knowledge of disease mechanisms and contribute to the development of more effective approaches to the prevention, diagnosis and treatment of acute laryngitis.

Conclusion. In conclusion, it is worth emphasizing that understanding the mechanisms of development of acute laryngitis is of direct importance for improving the diagnosis, treatment and prevention of this disease. Scientific discoveries in this area help optimize clinical practice and improve the quality of life of patients. However, a complete and comprehensive understanding of acute laryngitis requires further research and integration of new data that will help expand our knowledge and approaches to this disease.

Literature

[1] Reveiz L, Cardona AF. Antibiotics for acute laryngitis in adults. Cochrane Database of Systematic Reviews. 2015 May 23;

[2] Kivekäs I, Rautiainen M. Epiglottitis, acute laryngitis, and croup. In: Infections of the ears, nose, throat, and sinuses. Academic Press; 2018. p. 247-255.

[3] Jaworek AJ, Earasi K, Lyons KM, Daggumati S, Hu A, Sataloff RT. Acute Infectious Laryngitis: A Case Series. Ear, Nose & Throat Journal. 2018 Sep;97(9):306–13.

[4] Mazurek H, Bręborowicz A, Doniec Z, Emeryk A, Krenke K, Kulus M, et al. Acute subglottic laryngitis. Etiology, epidemiology, pathogenesis and clinical picture. Advances in Respiratory Medicine. 2019 Oct 31;87(5):308–16.

[5] Sharifovna IF Treatment of Allergic Rhinitis by Modern Methods from the Point of View of a Doctor: The Main Problems and Mistakes //Texas Journal of Medical Science. – 2023. – T. 18. – P. 52-56. [6] Iskhakova F. Sh., Khamrakulova N. O., Khushvakova N. Zh. Evaluation of the effectiveness of treatment of bacterial recurrent sinusitis // Breakthrough scientific research as the engine of science, Collection of articles. – 2018.

[7] Iskhakova F. MOLECULAR GENETIC DIAGNOSTICS OF ALLERGIC RHINITIS IN PATIENTS WITH BRONCHIAL ASTHMA (short literature review) // International Journal of Scientific Pediatrics. – 2023. – T. 2. – No. 8. – pp. 301-306. [8] Mehmet Emre Sivrice, Hasan Yasan, Tuz M, Erdogan Okur, Yusuf Cagdas Kumbul, Fatma Ercan. Etiology of dysphonia according to age, gender and seasons. Turkish Journal of Health Science and Life. 2020 Oct 25;3(2):9–13.

[9] Khushvakova N. Zh., Iskhakova F. Sh. MECHANISM OF ACTION OF TREATMENT OF ALLERGIC RHINITIS FOR ASTHMA //O'ZBEKISTONDA FANLARARO INNOVATSIYALAR VA ILMIY TADQIQOTLAR JURNALI. – 2023. – T. 2. – No. 17. – pp. 120-128.

[10] Beer J, Crotta S, Breithaupt A, Ohnemus A, Becker J, Sachs B, et al. Impaired immune response drives age-dependent severity of COVID-19. J Exp Med [Internet]. 2022;219(12). Available from: http://dx.doi.org/10.1084/jem.20220621

[11] Zhang N, Wang L, Deng X, Liang R, Su M, He C, et al. Recent advances in the detection of respiratory virus infection in humans. Journal of Medical Virology. 2020 Feb 4;92(4):408–17.

[12] Campagnolo A, Benninger MS. Allergic laryngitis: chronic laryngitis and allergic sensitization. Brazilian Journal of Otorhinolaryngology (English Edition). 2019 May 1;85(3):263–6.

[13] Khushvakova N. Zh., Davronova G. B., Iskhakova F. Sh. Improvement of methods for treating acquired sensorineural hearing loss // Russian Otorhinolaryngology.–2015. – 2015. – T. 4. – P. 102-105.

[14] Stein DJ, Noordzij JP. Incidence of Chronic Laryngitis. Annals of Otology, Rhinology & Laryngology. 2013 Dec 1;122(12):771–4.
[15] 12. Khushvakova N. Zh. et al. OPTIMIZED METHOD FOR TREATING ACUTE CATARHRAL OTITIS MEDIA IN CHILDREN //Eurasian Union of Scientists. – 2020. – No. 11-2 (80). – P. 18-20.
[16] 16. Sharipovna IF, Jurakulovna KN, Bakhtiyorovna GD Improvement of the diagnosis and treatment of allergic rhinitis in patients with bronchial asthma (molecular genetic analysis) //American journal of medicine
[17] Kurono Y. The mucosal immune system of the upper respiratory tract and recent progress in mucosal vaccines. Auris Nasus Larynx. 2021 Jul.
[18] Yokubovich SI, Sharipovna IF, Jurakulova HN New Approaches in the Treatment of Odontogenic Sinusitis //Central Asian Journal of Medical and Natural Science. – 2021. – T. 2. – No. 2. – P. 57-60.9. Leynaert B, Neukirch F, Demoly P, Bousquet J. Epidemiologic evidence for asthma and rhinitis comorbidity. J Allergy Clin Immunol. 2000; 106(5 Suppl): S2015
[19] Alharbi KS, Alenezi SK, Gupta G. Pathophysiology and pathogenesis of inflammation. In: Recent Developments in Anti-Inflammatory Therapy. Academic Press; 2023. p. 1-9.
[20] Iskhakova ZS, Iskhakova FS, Narzieva DB THE USE OF OSTEOGENIC MATERIAL TO REPLACE JAW CAVITY DEFECTS //Applied Information Aspects of Medicine (Prikladnye informacionnye aspekty mediciny). – 2022. – T. 25. – No. 4. – pp. 20-25..
[21] Cheng P, Li S, Chen H. Macrophages in Lung Injury, Repair, and Fibrosis. Cells. 2021 Feb 18;10(2):436.
[22] Shamatov I. Ya., Khushvakova N. Zh., Iskhakova F. Sh. COMPLEX TREATMENT OF ACUTE LARINGITIS // Collection of scientific articles based on the results of the International Scientific Forum. – 2019. – P. 98.Yokubovich SI, Sharipovna IF, Jurakulova HN New approaches in the treatment of odontogenic sinusitis //central Asian journal of medical and natural sciences. – 2021. – vol. 2. – no. 2. – p. 57-60.
[23] Maddi R, et al. Exploring the therapeutic potential of probiotics in fighting respiratory viral infections. Journal of Population Therapeutics and Clinical Pharmacology. 2022;29(04):886-900.
[24] Hillion S, et al. The innate part of the adaptive immune system. Clinical reviews in allergy & immunology. 2020;58:151-154.
[25] Iskhakova Z. Sh. et al. The use of osteogenic material to replace cavity defects of the jaws // Formation of psychology and pedagogy as interdisciplinary sciences . – 2023. – T. 2. – No. 15. – pp. 43-48.
[26] Kapingidza AB, Kowal K, Chruszcz M. Antigen–antibody complexes. In: Vertebrate and Invertebrate Respiratory Proteins, Lipoproteins and other Body Fluid Proteins. 2020. p. 465-497.
[27] Conti PRONCONI, et al. Induction of pro-inflammatory cytokines (IL-1 and IL-6) and lung inflammation by Coronavirus-19 (COVI-19 or SARS-CoV-2): anti-inflammatory strategies. J Biol Regul Homeost Agents. 2020;34(2):327-331.
[28] Harvanová G, Duranková S, Bernasovská J. The role of cytokines and chemokines in the inflammatory response. Alergol Polska-Pol J Allergol. 2023;10(3):210-219.
[29] Kesmez Can F, et al. Effect of IL-6, IL-8/CXCL8, IP-10/CXCL 10 levels on the severity in COVID 19 infection. Int J Clin Pract. 2021;75(12):e14970.

[30] Costagliola G, et al. Nutraceuticals in viral infections: an overview of the immunomodulating properties. Nutrients. 2021;13(7):2410.
[31] Calderaro A, et al. Respiratory tract infections and laboratory diagnostic methods: A review with a focus on syndromic panel-based assays. Microorganisms. 2022;10(9):1856.
[32] Kim C, Badash I, Gao WZ, O'Dell K, Johns MM 3rd. Idiopathic ulcerative laryngitis: A national survey of academic laryngologists. Journal of Voice [Internet]. 2021;35(6):892–900. Available from: http://dx.doi.org/10.1016/j.jvoice.2020.04.009
[33] Aubry K, Sery A. Laryngitis agudas en el adulto. EMC-Otorrinolaringología. 2022;51(4):1-9.
[34] Ren C, et al. Respiratory mucosal immunity: kinetics of secretory immunoglobulin A in sputum and throat swabs from COVID-19 patients and vaccine recipients. Frontiers in Microbiology. 2022;13:782421.
[35] Li Y, Rui X, Li N. Genetic factors in isolated and syndromic laryngeal cleft. Paediatric Respiratory Reviews. 2020;33:24-27.
[36] Liu Y, Deng M, Zhang D, Lu C, Lu S. Effect of Preconception, Prenatal and Postnatal Exposure to Ambient Air Pollution on Laryngitis in Southern Chinese Children. Frontiers in Environmental Science. 2022;10.
[37] Utkurovna SG, Kholikova FF. OPTIMISATION OF TREATMENT METHODS FOR LARYNGOTRACHEITIS IN CHILDREN. World Bulletin of Public Health. 2022;10:153-155.
[38] Williams LM, Stoodley IL, Berthon BS, Wood LG. The Effects of Prebiotics, Synbiotics and Short-Chain Fatty Acids on Respiratory Tract Infections and Immune Function: A Systematic Review and Meta-Analysis. Advances in Nutrition. 2021 Sep 20.
[39] Hussain MS, Sharma P, Dhanjal DS, Khurana N, Vyas M, Sharma N, et al. Nanotechnology based advanced therapeutic strategies for targeting interleukins in chronic respiratory diseases. Chemico-Biological Interactions. 2021 Oct;348:109637.
[40] Bai Y, Liu Y, Su Z, Ma Y, Ren C, Zhao R, et al. Gene editing as a promising approach for respiratory diseases. Journal of Medical Genetics. 2018 Mar 1;55(3):143–9.
[41] Choi H, Kim CS. Polycyclic Aromatic Hydrocarbons from Fine Particulate Matter Induce Oxidative Stress and the Inflammatory Response in Human Vocal Fold Fibroblast Cells. Oxidative Medicine and Cellular Longevity. 2021 Aug 3;2021:1–10.

Reference:

[1] Reveiz L, Cardona AF. Antibiotics for acute laryngitis in adults. Cochrane Database of Systematic Reviews. 2015 May 23;
[2] Kivekäs I, Rautiainen M. Epiglottitis, acute laryngitis, and croup. In: Infections of the ears, nose, throat, and sinuses. Academic Press; 2018. p. 247-255.
[3] Jaworek AJ, Earasi K, Lyons KM, Daggumati S, Hu A, Sataloff RT. Acute Infectious Laryngitis: A Case Series. Ear, Nose & Throat Journal. 2018 Sep;97(9):306–13.
[4] Mazurek H, Bręborowicz A, Doniec Z, Emeryk A, Krenke K, Kulus M, et al. Acute subglottic laryngitis. Etiology, epidemiology, pathogenesis and clinical picture. Advances in Respiratory Medicine. 2019 Oct 31;87(5):308–16.
[5] Sharifovna I. F. Treatment of Allergic Rhinitis by Modern Methods from the Point of View of a Doctor: The Main Problems and Mistakes //Texas Journal of Medical Science. – 2023. – T. 18. – C. 52-

56. [6] Исхакова Ф. Ш., Хамракулова Н. О., Хушвакова Н. Ж. Оценка эффективности лечения бактериального рецидивирующего синусита //Прорывные научные исследования как двигатель науки, Сборник статей. – 2018.
[7] Исхакова Ф. МОЛЕКУЛЯРНО-ГЕНЕТИЧЕСКАЯ ДИАГНОСТИКА АЛЛЕРГИЧЕСКИХ РИНИТОВ У БОЛЬНЫХ С БРОНХИАЛЬНОЙ АСТМОЙ (короткий обзор литературы) //Международный журнал научной педиатрии. – 2023. – Т. 2. – №. 8. – С. 301-306. [8] Mehmet Emre Sivrice, Hasan Yasan, Tuz M, Erdogan Okur, Yusuf Cagdas Kumbul, Fatma Ercan. Etiology of dysphonia according to age, gender and seasons. Turkish Journal of Health Science and Life. 2020 Oct 25;3(2):9–13.
[9] Хушвакова Н. Ж., Исхакова Ф. Ш. МЕХАНИЗМ ДЕЙСТВИЯ ЛЕЧЕНИЯ АЛЛЕРГИЧЕСКОГО РИНИТА НА АСТМУ //O'ZBEKISTONDA FANLARARO INNOVATSIYALAR VA ILMIY TADQIQOTLAR JURNALI. – 2023. – Т. 2. – №. 17. – С. 120-128.
[10] Beer J, Crotta S, Breithaupt A, Ohnemus A, Becker J, Sachs B, et al. Impaired immune response drives age-dependent severity of COVID-19. J Exp Med [Internet]. 2022;219(12). Available from: http://dx.doi.org/10.1084/jem.20220621
[11] Zhang N, Wang L, Deng X, Liang R, Su M, He C, et al. Recent advances in the detection of respiratory virus infection in humans. Journal of Medical Virology. 2020 Feb 4;92(4):408–17.
[12] Campagnolo A, Benninger MS. Allergic laryngitis: chronic laryngitis and allergic sensitization. Brazilian Journal of Otorhinolaryngology (English Edition). 2019 May 1;85(3):263–6.
[13] Хушвакова Н. Ж., Давронова Г. Б., Исхакова Ф. Ш. Усовершенствование методов лечения приобретенной сенсоневральной тугоухости //Российская оториноларингология.–2015. – 2015. – Т. 4. – С. 102-105.
[14] Stein DJ, Noordzij JP. Incidence of Chronic Laryngitis. Annals of Otology, Rhinology & Laryngology. 2013 Dec 1;122(12):771–4.
[15] 12. Хушвакова Н. Ж. и др. ОПТИМИЗИРОВАННЫЙ МЕТОД ЛЕЧЕНИЯ ОСТРОГО КАТАРАЛЬНОГО СРЕДНЕГО ОТИТА У ДЕТЕЙ //Евразийский Союз Ученых. – 2020. – №. 11-2 (80). – С. 18-20.
[16] 16. Sharipovna I. F., Jurakulovna K.N., Bakhtiyorovna G.D. Improvement of the diagnosis and treatment of allergic rhinitis in patients with bronchial asthma (molecular genetic analysis) //American journal of medicine
[17] Kurono Y. The mucosal immune system of the upper respiratory tract and recent progress in mucosal vaccines. Auris Nasus Larynx. 2021 Jul.
[18] Yokubovich S. I., Sharipovna I. F., Jurakulova H. N. New Approaches in the Treatment of Odontogenic Sinusitis //Central Asian Journal of Medical and Natural Science. – 2021. – Т. 2. – №. 2. – С. 57-60.9. Leynaert B, Neukirch F, Demoly P, Bousquet J. Epidemiologic evidence for asthma and rhinitis comorbidity. J Allergy Clin Immunol. 2000; 106(5 Suppl): S2015
[19] Alharbi KS, Alenezi SK, Gupta G. Pathophysiology and pathogenesis of inflammation. In: Recent Developments in Anti-Inflammatory Therapy. Academic Press; 2023. p. 1-9.
[20] Iskhakova Z. S., Iskhakova F. S., Narzieva D. B. THE USE OF OSTEOGENIC MATERIAL TO REPLACE JAW CAVITY DEFECTS //Applied Information Aspects of Medicine (Prikladnye informacionnye aspekty mediciny). – 2022. – Т. 25. – №. 4. – С. 20-25..

[21] Cheng P, Li S, Chen H. Macrophages in Lung Injury, Repair, and Fibrosis. Cells. 2021 Feb 18;10(2):436.
[22] Шаматов И. Я., Хушвакова Н. Ж., Исхакова Ф. Ш. КОМПЛЕКСНОЕ ЛЕЧЕНИЕ ОСТРЫХ ЛАРИНГИТОВ //Сборник научных статей по итогам работы Международного научного форума. – 2019. – С. 98.Yokubovich S. I., Sharipovna I. F., Jurakulova H. N. New approaches in the treatment of odontogenic sinusitis //central asian journal of medical and natural sciences. – 2021. – т. 2. – №. 2. – с. 57-60.
[23] Maddi R, et al. Exploring the therapeutic potential of probiotics in fighting respiratory viral infections. Journal of Population Therapeutics and Clinical Pharmacology. 2022;29(04):886-900.
[24] Hillion S, et al. The innate part of the adaptive immune system. Clinical reviews in allergy & immunology. 2020;58:151-154.
[25] Исхакова З. Ш. и др. Использование остеогенного материала для замещения полостных дефектов челюстей //Formation of psychology and pedagogy as interdisciplinary sciences. – 2023. – Т. 2. – №. 15. – С. 43-48.
[26] Kapingidza AB, Kowal K, Chruszcz M. Antigen–antibody complexes. In: Vertebrate and Invertebrate Respiratory Proteins, Lipoproteins and other Body Fluid Proteins. 2020. p. 465-497.
[27] Conti PRONCONI, et al. Induction of pro-inflammatory cytokines (IL-1 and IL-6) and lung inflammation by Coronavirus-19 (COVI-19 or SARS-CoV-2): anti-inflammatory strategies. J Biol Regul Homeost Agents. 2020;34(2):327-331.
[28] Harvanová G, Duranková S, Bernasovská J. The role of cytokines and chemokines in the inflammatory response. Alergol Polska-Pol J Allergol. 2023;10(3):210-219.
[29] Kesmez Can F, et al. Effect of IL-6, IL-8/CXCL8, IP-10/CXCL 10 levels on the severity in COVID 19 infection. Int J Clin Pract. 2021;75(12):e14970.
[30] Costagliola G, et al. Nutraceuticals in viral infections: an overview of the immunomodulating properties. Nutrients. 2021;13(7):2410.
[31] Calderaro A, et al. Respiratory tract infections and laboratory diagnostic methods: A review with a focus on syndromic panel-based assays. Microorganisms. 2022;10(9):1856.
[32] Kim C, Badash I, Gao WZ, O'Dell K, Johns MM 3rd. Idiopathic ulcerative laryngitis: A national survey of academic laryngologists. Journal of Voice [Internet]. 2021;35(6):892–900. Available from: http://dx.doi.org/10.1016/j.jvoice.2020.04.009
[33] Aubry K, Sery A. Laringitis agudas en el adulto. EMC-Otorrinolaringología. 2022;51(4):1-9.
[34] Ren C, et al. Respiratory mucosal immunity: kinetics of secretory immunoglobulin A in sputum and throat swabs from COVID-19 patients and vaccine recipients. Frontiers in Microbiology. 2022;13:782421.
[35] Li Y, Rui X, Li N. Genetic factors in isolated and syndromic laryngeal cleft. Paediatric Respiratory Reviews. 2020;33:24-27.
[36] Liu Y, Deng M, Zhang D, Lu C, Lu S. Effect of Preconception, Prenatal and Postnatal Exposure to Ambient Air Pollution on Laryngitis in Southern Chinese Children. Frontiers in Environmental Science. 2022;10.
[37] Utkurovna SG, Kholikova FF. OPTIMISATION OF TREATMENT METHODS FOR LARYNGOTRACHEITIS IN CHILDREN. World Bulletin of Public Health. 2022;10:153-155.

[38] Williams LM, Stoodley IL, Berthon BS, Wood LG. The Effects of Prebiotics, Synbiotics and Short-Chain Fatty Acids On Respiratory Tract Infections and Immune Function: A Systematic Review And Meta-Analysis. Advances in Nutrition. 2021 Sep 20.
[39] Hussain MS, Sharma P, Dhanjal DS, Khurana N, Vyas M, Sharma N, et al. Nanotechnology based advanced therapeutic strategies for targeting interleukins in chronic respiratory diseases. Chemico-Biological Interactions. 2021 Oct;348:109637.
[40] Bai Y, Liu Y, Su Z, Ma Y, Ren C, Zhao R, et al. Gene editing as a promising approach for respiratory diseases. Journal of Medical Genetics. 2018 Mar 1;55(3):143–9.
[41] Choi H, Kim CS. Polycyclic Aromatic Hydrocarbons from Fine Particulate Matter Induce Oxidative Stress and the Inflammatory Response in Human Vocal Fold Fibroblast Cells. Oxidative Medicine and Cellular Longevity. 2021 Aug 3;2021:1–10.