MODERN MEDICINE AND PRACTICE
https://inovatus.es/index.php/ejmmp

EUROPEAN JOURNAL OF MODERNMEDICINEAND PRACTICE
Vol. 4 No. 5 (May - 2024) EJMMP ISSN: 2795-921X

NUTRACEUTICALS: A REVIEW ON

Vandana Teli
Student of B Pharma 4th Year, Department Of Pharmacy, Mewar University Gangrar Chittorgarh, Rajasthan 312901, India

Mrs. Chetana Tripathi
Assistant Professor, Department of Pharmacy, Mewar University Gangrar Chittorgarh, Rajasthan 312901, India

Dr. Himani Tiwari
HOD, Department of Pharmacy, Mewar University Gangrar Chittorgarh, Rajasthan 312901, India

Dr. Kaushal Kishor Chandrul
Principal, Department of Pharmacy, Mewar University Gangrar Chittorgarh, Rajasthan 312901, India

Abstract: Nutraceuticals, a portmanteau of "nutrition" and "pharmaceuticals," encompass a broad range of products derived from food sources that purportedly provide health benefits beyond basic nutrition. This paper delves into the multifaceted realm of nutraceuticals, examining their potential roles in health promotion and disease prevention. Drawing upon a comprehensive review of literature, this study explores the bioactive compounds found in various nutraceuticals, such as polyphenols, omega-3 fatty acids, vitamins, minerals, and botanical extracts, elucidating their mechanisms of action and physiological effects within the human body. Additionally, the paper investigates the evidence supporting the efficacy of nutraceuticals in mitigating chronic diseases, including cardiovascular disorders, metabolic syndrome, cognitive decline, and inflammatory conditions. Furthermore, this research evaluates the regulatory landscape surrounding nutraceuticals, considering issues of safety, quality control, and labeling accuracy. Through a synthesis of scientific findings and regulatory frameworks, this study aims to provide insights into the potential benefits and limitations of nutraceutical use as adjunctive therapy in health promotion strategies. Ultimately, a nuanced understanding of nutraceuticals can empower healthcare practitioners and consumers alike to make informed decisions regarding their dietary choices and supplementation practices, thereby enhancing overall health and well-being.

Key words: Nutraceuticals.

INTRODUCTION


The term "nutraceuticals" originates from the combination of "nutrition" and "pharmaceuticals," representing a fascinating intersection of food and medicine. It encompasses a diverse array of products derived from herbal sources, dietary supplements, specialized diets, and processed foods like cereals, soups, and beverages. These products serve purposes beyond basic nutrition, doubling as medicinal aids.

Nutraceuticals, by virtue of their dual roles, offer a compelling synergy between nutrition and healthcare, embodying a holistic approach to wellness.

Nutraceuticals are renowned for their multifaceted therapeutic properties, garnering significant attention in recent years for their potential nutritional, safety, and therapeutic benefits. Projections indicate a robust growth trajectory for the global nutraceutical market, with an estimated value poised to reach USD 722.49 billion by 2027, reflecting a Compound Annual Growth Rate of 8.3% from 2020 to 2027. Noteworthy markets like Japan and Canada are also anticipated to experience growth rates of 3.4% and 5.7%, respectively, during the same period. Recent research highlights the promising efficacy of these compounds in addressing various pathological conditions, including diabetes, atherosclerosis, cardiovascular diseases (CVDs), cancer, and neurological disorders, all of which involve complex physiological changes, including alterations in redox state. With many nutraceuticals boasting antioxidant activity, they hold the potential to counteract these detrimental changes, positioning them as valuable tools in promoting health and preventing life- threatening diseases such as diabetes, infections, renal, and gastrointestinal disorders.

Neutraceuticals, a fusion of "nutrition" and "pharmaceuticals," are bioactive compounds found in foods or dietary supplements that offer health benefits beyond basic nutrition. They've gained popularity for their potential to prevent or treat various health conditions, thanks to their medicinal properties. This overview will delve into their types, benefits, and their role in promoting overall well-being and disease prevention.

Neutraceuticals, a portmanteau of "nutrition" and "pharmaceuticals," represent a diverse array of bioactive compounds derived from foods or dietary supplements. These compounds, such as vitamins, minerals, antioxidants, and phytochemicals, exert physiological effects that extend beyond basic nutrition, potentially offering therapeutic benefits. As consumers increasingly prioritize preventive healthcare and seek alternatives to conventional medicine, neutraceuticals have emerged as promising adjuncts or alternatives in promoting health and managing various conditions. This comprehensive overview will explore the multifaceted world of neutraceuticals, examining their classification, mechanisms of action, evidence-based benefits, regulatory considerations, and their evolving role in modern healthcare paradigms.





THE REASONS FOR SHIFT TOWARDS NEUTRACEUTICALS ARE

The shift towards nutraceuticals is driven by several compelling reasons:

- Health Consciousness*: With growing awareness of the importance of preventive healthcare, individuals are seeking proactive measures to maintain and improve their health. Nutraceuticals offer a natural and holistic approach to wellness, aligning with this trend towards self-care.
- Desire for Natural Solutions*: In an era where consumers are increasingly skeptical of synthetic pharmaceuticals and their potential side effects, there is a growing preference for natural alternatives. Nutraceuticals, derived from natural sources like plants and herbs, resonate with this desire for safer, more sustainable solutions.
- Scientific Validation*: Advances in scientific research have provided substantial evidence supporting the efficacy of nutraceuticals in promoting health and preventing diseases. This empirical validation has bolstered consumer confidence in the effectiveness of these products.
- Rising Healthcare Costs*: Escalating healthcare costs and the burden of chronic diseases have prompted individuals to take proactive steps towards managing their health. Nutraceuticals, perceived as cost-effective and accessible, offer a viable means of preventive healthcare and disease management.
- Personalized Health Solutions*: Nutraceuticals cater to the growing demand for personalized health solutions, as they can be tailored to address specific health concerns or dietary deficiencies. This customization appeals to consumers seeking tailored approaches to their individual health needs.
- Regulatory Support*: Regulatory agencies worldwide are increasingly recognizing the importance of nutraceuticals in promoting public health. As a result, there is a growing regulatory framework in place to ensure the safety, quality, and efficacy of these products, further bolstering consumer trust.

Overall, the shift towards nutraceuticals reflects a convergence of consumer preferences, scientific advancements, and regulatory initiatives, all contributing to their increasing popularity as integral components of modern healthcare.

CATOGORIZING NEUTRACEUTICALS

Nutraceuticals can be categorized based on various criteria, including their source, composition, and intended health benefits. Here are some commoncategorizations:

1. Source:

- Plant-Based Nutraceuticals*: Derived from botanical sources such as herbs,fruits, vegetables, and grains. Examples include green tea extract, ginseng, and turmeric.
- Marine-Derived Nutraceuticals*: Obtained from marine organisms like fishoil, algae, and shellfish, rich in omega-3 fatty acids, minerals, and other bioactivecompounds.
- Animal-Derived Nutraceuticals*: Extracted from animal products such as collagen, glucosamine (from shellfish), and cod liver oil.

2. Composition

- Vitamins and Minerals*: Nutraceuticals containing essential vitamins (e.g., vitamin C, vitamin D) and minerals (e.g., calcium, magnesium) crucial for various physiological functions.
- Antioxidants*: Compounds that neutralize harmful free radicals in the body, including vitamin E, vitamin C, selenium, and flavonoids found in fruits and vegetables.
- Probiotics and Prebiotics*: Beneficial bacteria (probiotics) and non- digestible fibers (prebiotics) that


support gut health and digestion.

- Fatty Acids*: Omega-3 fatty acids (e.g., EPA and DHA) sourced from fish oil and other sources, known for their cardiovascular and cognitive health benefits.

3. Intended Health Benefits*:

- Immune Support*: Nutraceuticals designed to boost the immune system, such as echinacea, zinc, and elderberry.
- Joint and Bone Health*: Nutraceuticals containing glucosamine, chondroitin, collagen, and calcium, aimed at supporting joint and bone health.
- Cognitive Health*: Nutraceuticals like ginkgo biloba, phosphatidylserine, and omega-3 fatty acids, believed to enhance memory, focus, and overall cognitive function.
- Digestive Health*: Nutraceuticals including probiotics, fiber supplements, and digestive enzymes, intended to support gastrointestinal health and improve digestion.

These categorizations provide a framework for understanding the diverse range of nutraceuticals available and their specific roles in promoting health and well- being.



NON TRADITIONAL NEUTRACEUTICALS

1. Functional Mushrooms*: Certain types of mushrooms, such as reishi, lion's mane, and cordyceps, contain bioactive compounds like beta-glucans and polysaccharides that exhibit immunomodulatory and antioxidant properties. They are gaining popularity for their potential to support immune function, cognitive health, and overall well-being.
2. Seaweed and Algae*: Marine plants like seaweed and algae are rich in vitamins, minerals, antioxidants, and unique compounds such as fucoxanthin and phycocyanin. They offer potential health benefits such

as supporting thyroid function, promoting cardiovascular health, and providing anti-inflammatory effects.

3. Insect-Based Nutraceuticals*: Insects are increasingly being explored as sustainable sources of protein, vitamins, minerals, and bioactive compounds. Insect-based nutraceuticals may offer benefits such as promoting muscle growth, supporting gut health, and providing essential nutrients in a more environmentally friendly way.
4. Cannabis-Derived Nutraceuticals*: Cannabidiol (CBD) and other cannabinoids derived from cannabis plants have gained attention for their potential therapeutic effects, including pain relief, anxiety reduction, and anti-inflammatory properties. CBD-infused products like oils, tinctures, and capsules are being used as non-traditional nutraceuticals for various health conditions.
5. Novel Plant Extracts*: Extracts from less common plants or parts of plants, such as adaptogenic herbs (e.g., ashwagandha, rhodiola) and traditional medicinal plants from different cultures, are being studied for their potential health-promoting properties. These non-traditional plant extracts may offer benefits such as stress reduction, improved energy levels, and enhanced mental clarity.

TRADITIONAL NEUTRACEUTICALS

1. Definition*: Traditional nutraceuticals are natural substances, often derived from plants, herbs, or other traditional sources, that are believed to have health benefits beyond basic nutrition.
2. Historical Use*: These substances have been used for centuries in various cultures as part of traditional medicine systems, including Ayurveda, Traditional Chinese Medicine (TCM), and Indigenous healing practices.
3. Examples*: Traditional nutraceuticals encompass a wide range of ingredients, including:

- Herbs: e.g., turmeric, ginger, ginseng, echinacea
- Spices: e.g., cinnamon, garlic, black pepper
- Tea and botanical extracts: e.g., green tea, chamomile, ginkgo biloba
- Medicinal mushrooms: e.g., reishi, lion's mane, chaga
- Other plant-based ingredients: e.g., aloe vera, ashwagandha, moringa

4. Bioactive Compounds*: Many traditional nutraceuticals contain bioactive compounds such as polyphenols, flavonoids, alkaloids, and other phytochemicals, which are believed to contribute to their health-promoting properties.
5. Health Benefits*: Traditional nutraceuticals are often associated with various health benefits, including:

- Antioxidant properties: helping to combat oxidative stress and reduce inflammation
- Immune modulation: supporting the immune system's function
- Cognitive health: potentially improving memory, focus, and mental clarity
- Digestive health: aiding digestion and promoting gut health
- Cardiovascular health: supporting heart health and healthy circulation

6. Scientific Research*: While some health claims associated with traditional nutraceuticals are supported by scientific evidence, others may lack conclusive studies or require further research to validate their efficacy and safety.

7. Caution and Consultation*: It's important to approach traditional nutraceuticals with caution and consult with a healthcare professional before incorporating them into your diet or wellness routine, especially if you have underlying health conditions or are taking medications. Quality and safety standards can vary among products, so it's essential to choose reputable sources and products.

The nutraceutical industry's three primary segments include herbal/natural products, dietary supplements, and functional foods. Among these, the most rapidly growing segments are herbal/natural products and dietary supplements. Research and development are at their peak in this burgeoning nutraceutical field, driven by increasing consumer interest in natural health solutions and preventive healthcare.

The most pressing scientific need relates to standardizing nutraceutical compounds or products and conducting rigorous clinical studies to support health claims, thus making an impact on both consumers and nutraceutical companies. This involves ensuring consistency in the composition and potency of nutraceutical ingredients, as well as establishing evidence-based efficacy and safety profiles.

The Asia Pacific market is projected to experience the fastest growth in the nutraceutical industry. Factors such as hectic lifestyles, urbanization, and rising disposable incomes have led to increased consumption of convenience food products and heightened awareness of health and wellness. As a result, there is a growing demand for nutraceuticals that offer convenient and effective solutions to support overall health and well-being.

In addition to herbal/natural products and dietary supplements, functional foods are gaining popularity as consumers seek foods that offer added health benefits beyond basic nutrition. These foods may be fortified with vitamins, minerals, probiotics, antioxidants, or other bioactive ingredients to address specific health concerns or promote optimal health.

Overall, the nutraceutical industry is experiencing significant growth and innovation as it responds to evolving consumer preferences and healthcare needs. Collaboration between researchers, healthcare professionals, regulatory authorities, and industry stakeholders is essential to drive continued advancements in nutraceutical science and promote the development of safe, effective, and evidence-based products.

CONCLUSION

In conclusion, nutraceuticals represent a promising avenue for promoting health, preventing disease, and managing various health conditions. These bioactive compounds, derived from natural sources such as plants, herbs, and dietary supplements, offer a wealth of therapeutic benefits, from antioxidant and anti-inflammatory effects to immune support and detoxification.

Through their diverse mechanisms of action, nutraceuticals can help optimize bodily functions, support vital organs like the heart, liver, and immune system, and contribute to overall well-being. Additionally, nutraceuticals may offer a safer and more natural alternative to conventional pharmaceuticals, with fewer side effects and a lower risk of toxicity when used appropriately.

However, it's crucial to approach nutraceutical use with caution and mindfulness. Consulting with healthcare professionals before starting any new supplement regimen is essential, especially for individuals with existing medical conditions, allergies, or those taking medications. Additionally, selecting high- quality nutraceutical products from reputable brands and adhering to recommended dosage guidelines is paramount for ensuring safety and efficacy.

Overall, nutraceuticals have the potential to play a valuable role in supporting health and preventing disease when integrated into a balanced diet and healthy lifestyle. Continued research into their therapeutic properties and mechanisms of action will further enhance our understanding of their benefits and contribute to their widespread adoption as part of comprehensive healthcare strategies.

REFERENCES

1. Kalra EK, Nutraceutical – Definition and introduction. AAPS Pharm Sci. 2003; 5:E25.
2. Chauhan B, Kumar G, Kalam N, Ansari SH, Current concepts and prospects of herbal nutraceutical: A review. J Adv Pharm Technol Res. 2013; 4:4–8.
3. Zeisel SH, Regulation of "nutraceuticals" Science. 1999; 285:1853–5.
4. Hardy G, Nutraceuticals and functional foods: Introduction and meaning. Nutrition. 2000; 16:688–9.
5. Prevesh Kumar, Nirdesh Kumar and Tushar Omer, Nutraceuticals critical supplement For building a healthy India, World Journal Of Pharmacy And Pharmaceutical Sciences, 2016; 5(3): 579-594.
6. Olaiya C. O, Soetan K. O, Esan A. The role of nutraceuticals, functional foods and value added food products in the prevention and treatment of chronic diseases M. 1, African Journal of Food Science, 2016; 10(10): 185-193.
7. Namdeo Shinde, Bhaskar Bangar, Sunil Deshmukh, Pratik Kumbhar. Nutraceuticals: A Review on current status. Research J. Pharm. and Tech, 2014; 7(1): 110-113.
8. Kharb S, Singh V. Nutriceuticals in health and disease prevention. Indian J. Clin. Biochem, 2004; 19(1): 50-53.
9. Jeroen Hugenholtz, Eddy J Smid, Victor Ladero, Pascal Hols. Metabolic engineering of lactic acid bacteria for the production of nutraceuticals. Antonie van Leeuwenhoek, 2002; 82: 217–235.
10. Vouloumanou EK, Makris GC, Karageorgopoulos DE. Probiotics for the prevention of respiratory tract infections: a systematic review. Int J Antimicrob Agents, 2009; 34:e1-e10.
11. Montrose DC, Floch MH: Probiotics used in human studies. J Clin Gastroenterol, 2005; 39(6): 469-484.
12. N Borkar, SS Saurabh, KS Rathore, A Pandit, KR Khandelwal; An Insight on Nutraceuticals; Pharma Tutor, 2015; 3(8): 13-23.
13. Enhancing Nutraceutical Performance Using Excipient Foods: Designing Food Structures and Compositions to Increase Bioavailability David Julian McClements, Liqiang Zou, Ruojie Zhang, Laura Salvia-Trujillo, Taha Kumosani, and Hang Xiao, Comprehensive Reviewsin Food Science and Food Safety, 2015; 14: 824-847.
14. Nasri H, Motamedi P, Dehghani N, Nasri P, Taheri Z, Kinani F, et al. Vitamin D and immune system. J Renal Endocrinol. 2014; 1:5–7.
15. Asgary S, Kelishadi R, Rafieian-Kopaei M, Najafi S, Najafi M, Sahebkar Investigation of the lipid-modifying and antiinflammatory effects of Cornus mas L. supplementation on dyslipidemic children and adolescents. Pediatr Cardiol. 2013; 34:1729–35.
16. Iriti M, Faoro F. Grape phytochemicals: A bouquet of old and new nutraceuticals for human health. Med Hypotheses. 2006; 67:833–8.
17. Garg A, Garg S, Zaneveld LJ, Singla AK. Chemistry and pharmacology of the Citrus bioflavonoid hesperidin. Phytother Res. 2001; 15:655– 69.
18. Rafieian-Kopaei M, Baradaran A, Rafieian M. Plant's antioxidants: From laboratory to clinic. J Nephropathol. 2013; 2:152–3.
19. Ghayur MN, Gilani AH, Afridi MB, Houghton PJ. Cardiovascular effects of ginger aqueous extract and its phenolic constituents are mediated through multiple pathways. Vascul Pharmacol. 2005; 43:234–41.

20. Bahmani M, Vakili-Saatloo N, Gholami-Ahangaran M, Karamati SA, Khalil-Banihabib E, Hajigholizadeh GH, et al. A comparison study on the anti-leech effects of onion (Allium cepa L) and ginger (Zingiber officinale) with levamisole and triclabendazole. J HerbMed Pharmacol. 2013; 2:1–3.
21. Nasri H, Nematbakhsh M, Ghobadi SH, Ansari R, Shahinfard N, Rafieian-kopaei M. Preventive and curative effects of ginger extract against histopathologic changes of gentamicin-Induced tubular toxicity in rats. Int J Prev Med. 2013;4:316–21
22. Bahmani M, Zargaran A, Rafieian-Kopaei M, Saki M. Ethnobotanical study of medicinal plants used in the management of diabetes mellitus in the Urmia, Northwest Iran. Asian Pac J Trop Med. 2014;7:348–54.
23. Roshan B, Stanton RC. A story of microalbuminuria and diabetic nephropathy. J Nephropathol. 2013; 2:234–40.
24. Tavafi M. Diabetic nephropathy and antioxidants. J Nephropathol. 2013; 2:20–7.
25. Baradaran A. Lipoprotein (a), type 2 diabetes and nephropathy; the mystery ontinues. J Nephropathol. 2012; 1:126–9.
26. Rahimi-Madiseh M, Heidarian E, Rafieian-kopaei M. Biochemical components of Berberis lycium fruit and its effects on lipid profile in diabetic rats. J HerbMed Pharmacol. 2014; 3:15–9.
27. Rafieian-Kopaei M, Nasri H. Ginger and diabetic nephropathy. J Renal Inj Prev. 2013; 2:9–10.
28. Tolouian R, T Hernandez G. Prediction of diabetic nephropathy: The need for a sweet biomarker. J Nephropathol. 2013; 2:4–5.
29. Caterson ID, Gill TP. Obesity: Epidemiology and possible prevention. Best Pract Res Clin Endocrinol Metab. 2002; 16:595–610.
30. Rubin SA, Levin ER. Clinical review 53: The endocrinology of vasoactive peptides: Synthesis to function. J Clin Endocrinol Metab. 1994; 78:6–10.
31. Boozer CN, Nasser JA, Heymsfield SB, Wang V, Chen G, Solomon JL. An herbal supplement containing Ma Huang-Guarana for weight loss: A randomized, double-blind trial. Int J Obes Relat Metab Disord. 2001; 25:316–24.
32. Losso JN. Targeting excessive angiogenesis with functional foods and nutraceuticals. Trends Food Sci Technol. 2003; 14:455–68.
33. Anwar F, Latif S, Ashraf M, Gilani AH. Moringa oleifera: A food plant with multiple medicinal uses. Phytother Res. 2007; 21:17–25.
34. Glenville M. Nutritional supplements in pregnancy: Commercial push or evidence based? Curr Opin Obstet Gynecol. 2006; 18:642–7.
35. Brookmeyer R, Johnson E, Ziegler-Graham K, Arrighi HM. Forecasting the global burden of Alzheimer's disease. Alzheimers Dement. 2007; 3:186–91.
36. Rabiei Z, Rafieian-Kopaei M, Heidarian E, Saghaei E, Mokhtari S. Effects of Zizyphus jujube extract on memory and learning impairment induced by bilateral electric lesions of the nucleus basalis of Meynert in rat. Neurochem Res. 2014; 39:353–60.
37. Rabiei Z, Rafieian-kopaei M, Heidarian E, Saghaei E, Mokhtari S. Effects of Zizyphus jujube extract on memory and learning impairment induced by bilateral electric lesions of the nucleus basalis of meynert in rat. Neurochem Res. 2014;39:353–60.4

38. Rabiei Z, Rafieian-Kopaei M, Mokhtari S, Alibabaei Z, Shahrani M. The effect of pretreatment with different doses of Lavandula officinalis ethanolic extract on memory, learning and nociception. Biomed Aging Pathol. 2013.

39. Nasri H, Sahinfard N, Rafieian M, Rafieian S, Shirzad M, Rafieian kopaei M. Effects of Allium sativum on liver enzymes and atherosclerotic risk factors. J HerbMed.

40. Willis MS, Wians FH. The role of nutrition in preventing prostate cancer: A review of the proposed mechanism of action of various dietary substances. Clin Chim Acta. 2003; 330:57–83.

41. Shirzad H, Kiani M, Shirzad M. Impacts of tomato extract on the mice fibrosarcoma cells. J HerbMed Pharmacol. 2013; 2:13–6.

42. Stahl W, Sies H. Bioactivity and protective effects of natural carotenoids. Biochim Biophys Acta. 2005; 1740:101–7.

43. Shirzad H, Taji F, Rafieian-Kopaei M. Correlation between antioxidant activity of garlic extracts and WEHI-164 fibrosarcoma tumor growth in BALB/c mice. J Med Food. 2011; 14:969–74.

44. Shirzad H, Shahrani M, Rafieian-Kopaei M. Comparison of morphine andtramadol effects on phagocytic activity of mice peritoneal phagocytes in vivo. Int Immunopharmacol. 2009; 9:968–70.

45. Limer JL, Speirs V. Phyto-oestrogens and breast cancer chemoprevention. Breast Cancer Res. 2004; 6:119–27.

46. Grammatikos AP. The genetic and environmental basis of atopic diseases. Ann Med. 2008; 40:482–95.

47. Kruger CL, Murphy M, DeFreitas Z, Pfannkuch F, Heimbach J. An innovative approach to the determination of safety for a dietary ingredientderived from a new source: Case study using a crystalline lutein product.Food Chem Toxicol. 2002; 40:1535–49.

48. Chauhan B, Kumar G, Kalam N, Ansari SH. Current concepts andprospects of herbal nutraceutical: A review. J Adv Pharm Technol Res. 2013; 4:4–8.

49. Brouns F. Soya isoflavones: A new and promising ingredient for the health foods sector. Food Res Int. 2002; 35:187–93.

50. 53. Ardalan MR, Rafieian. Kopaei M. Antioxidant supplementation in hypertension. J Renal Inj Prev 2014; 3:39-40.

51. Gupta P, Andrew H, Kirschner BS, Guandalini S. Is lactobacillus GG helpful in children with Crohn's disease? Results of a preliminary, open- label study. J Pediatr Gastroenterol Nutr. 2000; 31:453–7.

52. Fuller R. Probiotics in human medicine. Gut. 1991; 32:439–42.

53. Rafieian-Kopaei M. Identification of medicinal plants affecting on headaches and migraines in Lorestan Province, West of Iran. Asian Pac J Trop Med. 2014; 7:376–9.

54. Jang M, Cai L, Udeani GO, Slowing KV, Thomas CF, Beecher CW, et al. Cancer chemopreventive activity of resveratrol, a natural product derived from grapes. Science. 1997; 275:218–20.

55. Rouhi-Broujeni A, Heidarian E, Darvishzadeh-Boroojeni P, Rafieian Kopaei M, Gharipour M. Lipid lowering activity of moringa pergerina seeds in rat: A comparison between the extract and atorvastatin. Res J Biol Sci. 2013; 8:150–4.

56. Nasri H, Ardalan MR, Rafieian-Kopaei R. On the occasion of world hypertension day 2014. J Parathyr Dis. 2014; 2:19–20.

57. Baradaran A, Madihi Y, Merrikhi A, Rafieian-Kopaei M, Nematbakhsh M, Asgari A, et al. Nephrotoxicity of hydroalcoholic extract of Teucrium polium in Wistar rats. Pak J Med Sci. 2013; 29:329–33.

58. Ateyyat MA, Al-Mazra'awi M, Abu-Rjai T, Shatnawi MA. Aqueous extracts of some medicinal plants are as toxic as Imidacloprid to the sweet potato whitefly, Bemisia tabaci. J Insect Sci. 2009; 9:15.

59. Baradaran A. Beyond mineral metabolism, the bright immunomodulatory effect of vitamin D in renal disease. J Nephropharmacol. 2012; 1:17–8.

60. Nasri H, Behradmanesh S, Ahmadi A, Rafieian-Kopaei M. Impact of oral vitamin D (cholecalciferol) replacement therapy on blood pressure in type diabetes patients; a randomized, double-blind, placebo controlled clinical trial. J Nephropathol. 2014; 3:29–33.

61. Nasri H, Shirzad H. Toxicity and safety of medicinal plants. J HerbMed Plarmacol. 2013; 2:21–2.

62. Heidarian E, Rafieian-Kopaei M. Protective effect of artichoke (Cynara scolymus) leaf extract against lead toxicity in rat. Pharm Biol. 2013; 51:1104–9.

63. Nasri H, Ahmadi A, Baradaran A, Nasri P, Hajian S, Pour-Arian A, et al. A biochemical study on ameliorative effect of green tea (Camellia sinensis) extract against contrast media induced acute kidney injury. J Renal Inj Prev. 2014; 3:47–9.